

Bibliography

USFWS



Wildlife festival, Vermont

Bibliography

■ Appendix A Bibliography

Appendix A Bibliography

- Abrams, M. D. 2003. Where has all the white oak gone? BioScience 53:927–939.
- Allen Bird Club. 2015. Longmeadow Flats. Allen Bird Club. Accessed August 2016 at: <http://www.allenbirdclub.org/longmeadow-flats.html>.
- Arbuthnot, M. 2008. A landowner's guide to new england cottontail habitat management. US Fish & Wildlife Publications:37.
- Askins, R.A., 2001. Sustaining biological diversity in early successional communities: the challenge of managing unpopular habitats. Wildlife Soc. B. 29, 407–412.
- Aubry, K. B., G. M. Koehler, and J. R. Squires. 1999. Ecology of Canada lynx. Pages 373–396 Ecology and Conservation of Lynx in the United States (Ruggiero et al.). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.
- Avery, M. L. 1995. Rusty blackbird (*Euphagus carolinus*). The Birds of North America, No. 200 (A. Poole and F. Gill, eds.). The Academy of Natural Sciences and The American Ornithologists' Union, Washington D.C.; Philadelphia PA.
- Bellemare, J., G. Motzkin, and D. R. Foster. 2002. Legacies of the agricultural past in the forested present: an assessment of historical land-use effects on rich mesic forests. Journal of Biogeography 29:1401–1420.
- Blem, C. R. 1980. The energetics of migration. Pages 175–224 Animal migration, orientation, and navigation. Academic Press, New York.
- Brennan, L. A., and W. P. Kuvlesky Jr. 2005. Invited Paper: North American Grassland Birds: An Unfolding Conservation Crisis? Journal of Wildlife Management 69:1–13.
- Brittingham, M. C., and L. J. Goodrich. 2010. Habitat fragmentation: a threat to Pennsylvania's forest birds. Pages 204–216 Majumdar, S.K., Master, T.L., Brittingham, M., Ross, R.M., and J. Huffman (eds.) Avian ecology and conservation: a Pennsylvania focus with national implications. Pennsylvania Academy of Science, Easton, Pennsylvania.
- Brooks, R. T., and W. M. Ford. 2005. Bat Activity in a Forest Landscape of Central Massachusetts. Northeastern Naturalist 12:447–462.
- Bull, J. 1974. Birds of New York State. Doubleday, Garden City, New York.
- Burke, D. M., and E. Nol. 1998. Influence of food abundance, nest-site habitat, and forest fragmentation on breeding ovenbirds. The Auk 115:96–104.
- Burke, D. M., and E. Nol. 2000. Landscape and fragment size effects on reproductive success of forest-breeding birds in Ontario. Ecological Applications 10:1749–1761.
- Caceres, M. C., and M. J. Pybus. 1997. Status of the Northern Long-eared Bat (*Myotis septentrionalis*) in Alberta. Alberta Environmental Protection, Wildlife Management Division, Status and Surveys Branch.
- Chace, J. F., S. D. Faccio, and A. Chacko. 2009. Canada warbler habitat use of northern hardwoods in Vermont. Northeastern Naturalist 16:491–500.
- Chapin, T. G., D. J. Harrison, and D. M. Phillips. 1997. Seasonal Habitat Selection by Marten in an Untrapped Forest Preserve. The Journal of Wildlife Management 61:707–717.
- Clay, C., M. Deininger, and J. Hafner. 2006. The Connecticut River Watershed: Conserving the Heart of New England. The Trust for Public Land. 56 pps.

Appendix A Bibliography

- Cogbill, C. V., J. Burk, and G. Motzkin. 2002. The forests of pre-settlement New England, USA: spatial and compositional patterns based on town proprietor surveys. *Journal of Biogeography* 29:1279–1304.
- Comins, P., G. Hanisek, and S. Oresman. 2005. Audubon Connecticut: Protecting Connecticut's Grassland Heritage: A report to the Connecticut Grasslands Working Group. April 2003; revised January 2005. 64 pp. Accessed online August 2016 at: http://web4.audubon.org/bird/iba/iba_resources/Conservation/Grasslands%20Management/gl%20revised%201-04.pdf
- Cronon, W. 1983. Changes in the land: Indians, colonists, and the ecology of New England. 1st ed. Hill and Wang, New York.
- Curzon, M. T., and W. S. Keeton. 2010. Spatial characteristics of canopy disturbances in riparian old-growth hemlock – northern hardwood forests, Adirondack Mountains, New York, USA. *Canadian Journal of Forest Research* 40:13–25.
- D'Amato, A. W., and Catanzaro, P. 2009. A Forest Manager's Guide to Restoring Late-successional Forest Structure. University of Massachusetts Extension, Amherst, MA.
- D'Amato, A. W., D. A. Orwig, and D. R. Foster. 2009. Understory vegetation in old-growth and second-growth *Tsuga canadensis* forests in western Massachusetts. *Forest Ecology and Management* 257:1043–1052.
- Darveau, M., J. L. DesGranges, and G. Gauthier. 1992. Habitat Use by Three Breeding Insectivorous Birds in Declining Maple Forests. *The Condor* 94:72–82.
- DeGraaf, R. M., and M. Yamasaki. 2001. New England wildlife: habitat, natural history, and distribution. University Press of New England.
- DeGraaf, R., M. Yamasaki, W. B. Leak, and A. M. Lester. 2006. Technical Guide to Forest Wildlife Habitat Management in New England. 1st edition. University Press of New England, Burlington, VT.
- Dettmers, R. 2005. DRAFT: Blueprint for the design and delivery of bird conservation in the Atlantic Northern Forest. Page 352. U.S. Department of the Interior, Fish and Wildlife Service.
- Dettmers, R. 2003. Early-Successional Forests and Shrubland Habitats in the North Eastern United States: Critical Habitats dependent on Disturbance. *Forest Ecology and Management* 185: 81-93.
- Dettmers, R. and Rosenberg, K. 2000. Partners in Flight Landbird Conservation Plan: Physiographic Area 9: Southern New England. P. 28. US Fish and Wildlife Service and Cornell Lab of Ornithology.
- Dobbs, R. C., T. S. Sillett, N. L. Rodenhouse, and R. T. Holmes. 2007. Population density affects foraging behavior of male Black-throated Blue Warblers during the breeding season. *Journal of Field Ornithology* 78:133–139.
- Dreyer, G. and M. Caplis eds. 2001. Living Resources and Habitats of the Lower Connecticut River. Connecticut River Arboretum, New London, CT.
- Dunn, J., and K. Garrett. 1997. A Field Guide to Warblers of North America. Houghton Mifflin Harcourt, Boston.
- Fahrig, L. 1997. Relative Effects of Habitat Loss and Fragmentation on Population Extinction. *The Journal of Wildlife Management* 61:603–610.
- Fahrig, L. 2003. Effects of habitat fragmentation on biodiversity. *Annual Review of Ecology, Evolution, and Systematics* 34:487–515.
- Foss, C. 2016. Audubon New Hampshire, Personal Communications.

- Foster, D. R. 1995. Land-use history and four hundred years of vegetation change in New England. Pages 254–318 Turner, B.L., Sal, A.G., Bernaldez, F.G., DiCastri, F., Global Land Use Change: a Perspective from the Columbian Encounter. SCOPE Publication, Consejo Superior de Investigaciones Cientificas, Madrid, Spain.
- Foster, D. R. 2000. Conservation lessons and challenges from ecological history. *Forest History Today*:2–11.
- Foster, D. R. 2000a. Linking the Deep and Recent Past to the Modern New England Landscape. *Rhodora* 102:278–279.
- Foster, D. R., and T. M. Zebryk. 1993. Long-Term Vegetation Dynamics and Disturbance History of a *Tsuga*-Dominated Forest in New England. *Ecology* 74:982–998.
- Foster, D. R., D. A. Orwig, and J. S. McLachlan. 1996. Ecological and conservation insights from reconstructive studies of temperate old-growth forests. *Trends in Ecology & Evolution* 11:419–424.
- Foster, D. R., D. H. Knight, and J. F. Franklin. 1998. Landscape Patterns and Legacies Resulting from Large, Infrequent Forest Disturbances. *Ecosystems* 1:497–510.
- Foster, D. R., G. Motzkin, and B. Slater. 1998. Land-Use History as Long-Term Broad-Scale Disturbance: Regional Forest Dynamics in Central New England. *Ecosystems* 1:96–119.
- Foster, D. R., J. D. Aber, J. M. Melillo, R. D. Bowden, and F. A. Bazzaz. 1997. Forest response to disturbance and anthropogenic stress. *BioScience* 47:437–445.
- Foster, D. R., S. Clayden, D. A. Orwig, B. Hall, and S. Barry. 2002. Oak, chestnut and fire: climatic and cultural controls of long-term forest dynamics in New England, USA. *Journal of Biogeography* 29:1359–1379.
- Franklin, J. F., K. Cromack Jr., W. Denison, A. McKee, C. Maser, J. Sedall, F. Swanson, and G. Juday. 1981. Ecological characteristics of old-growth douglas fir forests. Page 48. Research Paper, U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR.
- Franklin, J. F., R. J. Mitchell, and B. J. Palik. 2007. Natural disturbance and stand-development principles for ecological forestry. Page 48. Research Paper, U.S. Department of Agriculture, Forest Service, Northern Research Station, Newtown Square, PA.
- Franklin, J. F., T. A. Spies, R. Van Pelt, A. B. Carey, D. A. Thornburgh, D. R. Berg, D. B. Lindenmayer, M. E. Harmon, W. S. Keeton, D. C. Shaw, K. Bible, and J. Chen. 2002. Disturbances and structural development of natural forest ecosystems with silvicultural implications, using Douglas-fir forests as an example. *Forest Ecology and Management* 155:399–423.
- Fraver, S., A. S. White, and R. S. Seymour. 2009. Natural disturbance in an old-growth landscape of northern Maine, USA. *Journal of Ecology* 97:289–2
- Fraver, S., T. Jain, J. B. Bradford, A. W. D'Amato, D. Kastendick, B. Palik, D. Shinneman, and J. Stanovick. 2011. The efficacy of salvage logging in reducing subsequent fire severity in conifer-dominated forests of Minnesota, USA. *Ecological Applications* 21:1895–1901.
- Fuller, S., and A. Tur. 2012. Conservation strategy for the New England cottontail (*Sylvilagus transitionalis*). Page 143. New England Cottontail Technical Committee.
- Gawler, S. 2008. Northeastern Terrestrial Wildlife Habitat Classification: A report to the Virginia Department of Game and Inland Fisheries on behalf of the Northeast Association of Fish and Wildlife Agencies and the National Fish and Wildlife Foundation. Page 102. NatureServe, Boston, Massachusetts.
- Goodburn, J. M., and C. G. Lorimer. 1998. Cavity trees and coarse woody debris in old-growth and managed northern hardwood forests in Wisconsin and Michigan. *Canadian Journal of Forest Research* 28:427–438.
- Greenberg, R., and S. M. Matsuoka. 2010. Rusty Blackbird: Mysteries of a Species in Decline. *The Condor* 112:770–777.

Appendix A Bibliography

- Groves, C. R. 2003. Drafting a conservation blueprint: a practitioner's guide to planning for biodiversity. Island Press, Washington, D.C.
- Hagan, J. M., and A. A. Whitman. 2004. Late-successional Forest: A disappearing age class and implications for biodiversity. Forest Conservation Program of Manomet Center for Conservation Science.
- Hagan, J. M., M. Vander Haegen, and P. S. McKinley. 1996. The early development of forest fragmentation effects on birds. *Conservation Biology* 10:188–202.
- Hagan, M., W. D. Kissling, C. Rasmussen, M. A. M. De Aguiar, L. E. Brown, D. W. Carstensen, I. Alves-Dos-Santos, Y. L. Dupont, F. K. Edwards, J. Genini, P. R. Guimarães Jr., G. B. Jenkins, P. Jordano, C. N. Kaiser-Bunbury, M. E. Ledger, K. P. Maia, F. M. D. Marquitti, O. McLaughlin, L. P. C. Morellato, E. J. O'Gorman, K. Trøjelsgaard, J. M. Tylianakis, M. M. Vidal, G. Woodward, and J. M. Olesen. 2012. Biodiversity, species interactions, and ecological networks in a fragmented world. *Advances in Ecological Research* 46:89–210.
- Hall, B., G. Motzkin, D. R. Foster, M. Syfert, and J. Burk. 2002. Three Hundred Years of Forest and Land-Use Change in Massachusetts, USA. *Journal of Biogeography* 29:1319–1335.
- Hill, J. M., and C. B. Knisley. 1993. Puritan Tiger Beetle (*Cicindela puritana* G. Horn) Recovery Plan. Page 47 pages.
- Hunter, M. L. 1991. Coping with ignorance: the coarse filter strategy for maintaining biodiversity. Pages 266–281 Balancing on the brink of extinction (K.A. Kohm, editor). Island Press, Washington, D.C.
- International Rusty Blackbird Working Group: Conservation Issues. 2013-2015. Accessed October 2016 at rustyblackbird.org
- Janssen, R. B. 1987. Birds in Minnesota. University of Minnesota Press, Minneapolis, Minnesota.
- Kart, J. R., R. Regan, S. R. Darling, K. Alexander, K. Cox, M. Ferguson, S. Parren, K. Royar, and B. Popp. 2005. Vermont's wildlife action plan. Page 211. Vermont Fish and Wildlife Department, Waterbury, Vermont.
- Kearns, L. J., E. D. Silverman, and K. R. Hall. 2006. Black-throated blue warbler and veery abundance in relation to understory composition in northern Michigan forests. *The Wilson Journal of Ornithology* 118:461–470.
- Keeton, W. S. 2006. Managing for late-successional/old-growth characteristics in northern hardwood-conifer forests. *Forest Ecology and Management* 235:129–142.
- Kelley, J. R., S. J. Williamson, and T. R. Cooper. 2008. American Woodcock Conservation Plan: a summary of recommendations for woodcock conservation in North America. Page 162. Woodcock Task Force, Migratory Shore and Upland Game Bird Working Group, Association of Fish and Wildlife Agencies, Wildlife Management Institute, Washington D.C.
- Lambert, J. D., and S. D. Faccio. 2005. Canada Warbler: population status, habitat use, and stewardship guidelines for northeastern forests. Page 20. VINS Technical Report, Vermont Institute of Natural Sciences, Woodstock, VT.
- Lambert, J. D., K. P. McFarland, C. C. Rimmer, S. D. Faccio, and J. L. Atwood. 2005. A practical model of Bicknell's Thrush distribution in the northeastern United States. *The Wilson Bulletin* 117:1–11.
- Langdon, R., J. Andrews, K. Cox, S. Fiske, N. Kamman, and S. Warren. 1998. A classification of the aquatic communities of Vermont. The Nature Conservancy and the Vermont Biodiversity Project, Montpelier, Vermont.
- Lindenmayer, D., and J. F. Franklin. 2002. Conserving Forest Biodiversity: A Comprehensive Multi-scaled Approach. Island Press.

- Longcore, J. R., D. G. McAuley, D. A. Clugston, C. M. Bunck, J.-F. Giroux, C. Ouellet, G. R. Parker, P. Dupuis, D. B. Stotts, and J. R. Goldsberry. 2000. Survival of American Black Ducks Radiomarked in Quebec, Nova Scotia, and Vermont. *The Journal of Wildlife Management* 64:238–252.
- Lorimer, C. G., and A. S. White. 2003. Scale and frequency of natural disturbances in the northeastern US: implications for early successional forest habitats and regional age distributions. *Forest Ecology and Management* 185:41–64.
- Marks, C.O., K.L. Lutz, A.P. Olivero-Sheldon. 2011. Ecologically important floodplain forests in the Connecticut River watershed. The Nature Conservancy, Connecticut River Program. 44pp.
- Massachusetts Division of Fish and Wildlife, Natural Heritage and Endangered Species Program, Tricolored Bat Species Profile. 2015. <http://www.mass.gov/eea/docs/dfg/nhesp/species-and-conservation/nhfacts/perimyotis-subflavus.pdf>
- Mass Audubon. n.d. Site Summary: Longmeadow Flats. Massachusetts Important Bird Areas. Accessed August 2016 at: <http://www.massaudubon.org/our-conservation-work/wildlife-research-conservation/statewide-bird-monitoring/massachusetts-important-bird-areas-iba/important-bird-area-sites/longmeadow-flats>.
- Matsuoka, S. M., D. Shaw, P. H. Sinclair, J. A. Johnson, R. M. Corcoran, N. C. Dau, P. M. Meyers, and N. A. Rojek. 2010. Nesting Ecology of the Rusty Blackbird in Alaska and Canada. *The Condor* 112:810–824.
- Mattsson, B. J., T. L. Master, R. S. Mulvihill, and W. D. Robinson. 2009. Louisiana Waterthrush (*Parkesia motacilla*). The Birds of North America Online, Cornell Lab of Ornithology.
- McAuley, D. G., J. R. Longcore, G. F. Sepik, and G. W. Pendleton. 1996. Habitat Characteristics of American Woodcock Nest Sites on a Managed Area in Maine. *The Journal of Wildlife Management* 60:138–148.
- McCann, J. M., S. E. Mabey, L. J. Niles, C. Bartlett, and P. Kerlinger. 1993. A regional study of coastal migratory stopover habitat for neotropical migrant songbirds: land management implications. Pages 398–407.
- Moore, F. R., P. Kerlinger, and T. R. Simons. 1990. Stopover on a Gulf Coast Barrier Island by Spring Trans-Gulf Migrants. *The Wilson Bulletin* 102:487–500.
- Morse, D. H. 1976. Variables affecting the density and territory size of breeding spruce-woods warblers. *Ecology* 57:290–301.
- Morse, D. H. 1994. Blackburnian warbler (*Dendroica fusca*). The birds of North America. Academy of Natural Sciences, Philadelphia, PA.
- Motzkin, G., D. Foster, A. Allen, J. Harrod, and R. Boone. 1996. Controlling Site to Evaluate History: Vegetation Patterns of a New England Sand Plain. *Ecological Monographs* 66:345–365.
- National Audubon Society. 2013. Important Bird Areas: Nulhegan Basin Important Bird Area. <http://netapp.audubon.org/iba/Site/1780>.
- Nedeau, E. 2009. Distribution, threats, and conservation of the dwarf wedge mussel (*Alasmidonta heterodon*) in the Middle and Northern Macrosites of the Upper Connecticut River. Page 42. Biodrawversity, LLC., Amherst, MA.
- Nedeau, E. J., M. A. McCollough, and B. I. Swartz. 2000. The freshwater mussels of Maine. Maine Department of Inland Fisheries and Wildlife, Augusta, Maine.
- New Hampshire Fish and Game Department. 2005. New Hampshire Wildlife Action Plan. New Hampshire Fish and Game Department, Concord NH.

Appendix A Bibliography

- Nol, E., and M. S. Blanken. 1999. No. 444: Semipalmated plover (*Charadrius semipalmatus*). In The Birds of North America, A. Poole and F. Gill, eds. Philadelphia, PA.
- North, M. P., and W. S. Keeton. 2008. Emulating natural disturbance regimes: an emerging approach for sustainable forest management. Pages 341–372 in R. Laforteza, J. Chen, G. Sanesi, and T. R. Crow, editors. Patterns and Processes in Forest Landscapes - Multiple Use and Sustainable Management. Springer-Verlag, The Netherlands.
- Noss, R. F. 1987. Corridors in Real Landscapes: A Reply to Simberloff and Cox. *Conservation Biology* 1:159–164.
- Noss, R. F. 1987. From plant communities to landscapes in conservation inventories: A look at the nature conservancy (USA). *Biological Conservation* 41:11–37.
- Noss, R. F. 1991. Effects of edge and internal patchiness on avian habitat use in an old-growth Florida hammock. *Natural Areas Journal* 11:34–47.
- Oehler, J. D., D. F. Covell, S. Capel, and B. Long. 2006. Managing grasslands, shrublands and young forests for wildlife: a guide for the Northeast. Northeast Upland Habitat Technical Committee, Massachusetts Division of Fisheries & Wildlife, Durham, NH.
- Paveglio, F. L., and J. D. Taylor. 2010. Identifying refuge resources of concern and management priorities: a handbook. Page 60. Department of the Interior, U.S. Fish and Wildlife Service, Washington, D.C.
- Petit, D. R. 2000. Habitat use by landbirds along nearctic-neotropical migration routes : Implications for conservation of stopover habitats. *Studies in avian biology* 20:15–33.
- Powell, L. L., T. P. Hodgman, and W. E. Glanz. 2010. Home ranges of Rusty blackbirds breeding in wetlands: how much would buffers from timber harvest protect habitat? *The Condor* 112:834–840.
- Powell, L. L., T. P. Hodgman, W. E. Glanz, J. D. Osenton, and C. M. Fisher. 2010. Nest-site selection and nest survival of the Rusty blackbird: does timber management adjacent to wetlands create ecological traps? *The Condor* 112:800–809.
- Pyzikiewicz, J. A. 2005. Species profile: Puritan tiger beetle (*Cicindela puritana*). New Hampshire Wildlife Action Plan.
- Reay, R. S., D. W. Blodgett, B. S. Burns, S. J. Weber, and T. Frey. 1990. Management guide for deer wintering areas in Vermont. Page 41. Vermont Agency of Natural Resources, Waterbury, VT.
- Reitsma, L. R., M. T. Hallworth, and P. M. Benham. 2008. Does age influence territory size, habitat selection, and reproductive success of male Canada Warblers in central New Hampshire? *The Wilson Journal of Ornithology* 120:446–454.
- Richardson, M., and D. W. Brauning. 1995. Chestnut-sided warbler (*Dendroica pensylvanica*). The Birds of North American, No. 190 (A. Poole and F. Gill, editors). The Academy of Natural Sciences and The American Ornithologists' Union, Philadelphia, PA and Washington, DC.
- Richmond, S., E. Nol, and D. Burke. 2011. Avian nest success, mammalian nest predator abundance, and invertebrate prey availability in a fragmented landscape. *Canadian Journal of Zoology* 89:517–528.
- Robbins, C. S., D. K. Dawson, and B. A. Dowell. 1989. Habitat Area Requirements of Breeding Forest Birds of the Middle Atlantic States. *Wildlife Monographs*: 3–34.
- Rodewald, P. G., M. C. Brittingham, and F. R. Moore. 2004. Stopover habitats of landbirds during fall: use of edge-dominated and early-successional forests. *The Auk* 121:1040–1055.
- Rosenberg, K. V., and T. P. Hodgman. 2000. Partners in flight landbird conservation plan: physiographic area 28: eastern spruce-hardwood forest. Cornell Lab of Ornithology, Ithaca, NY.

- Rosenberg, K. V., R. S. Hames, R. W. Rohrbaugh Jr., S. Barker Swarthout, J. D. Lowe, and A. A. Dhondt. 2003. A Land Manager's Guide to Improving Habitat for Forest Thrushes. Page 32. The Cornell Lab of Ornithology, Ithaca, NY.
- Rosenberg, K. V., R. W. Rohrbaugh Jr., S. E. Barker, J. D. Lowe, R. S. Hames, and A. A. Dhondt. 1999. A land managers guide to improving habitat for scarlet tanagers and other forest-interior birds. Page 24. The Cornell Lab of Ornithology, Ithaca, NY.
- Roth, R. R., M. S. Johnson, and T. J. Underwood. 1996. Wood Thrush. The Birds of North America, No. 246 (A. Poole and F. Gill, editors). The Academy of Natural Sciences and The American Ornithologists' Union, Philadelphia, PA and Washington, DC.
- Ruggiero, L. F., K. B. Aubry, S. W. Buskirk, G. M. Koehler, C. J. Krebs, K. S. McKelvey, and J. R. Squires. 1999. Ecology and conservation of lynx in the United States. Page 485. General Technical Report, U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.
- Sepik, G. F., R. B. Owen, and M. W. Coulter. 1994. A landowner's guide to woodcock management in the Northeast. Maine Agricultural Experimental Station.
- Seymour, R. S., A. S. White, and P. G. deMaynadier. 2002. Natural disturbance regimes in northeastern North America--evaluating silvicultural systems using natural scales and frequencies. *Forest Ecology and Management* 155:357–367.
- Smith College. 2006. The Silvio O. Conte National Fish and Wildlife Refuge Neotropical Migrant Bird Stopover Habitat Survey. http://www.science.smith.edu/stopoverbirds/Chapter1_intro.html.
- Smith, K. J., W. S. Keeton, M. J. Twery, and D. R. Tobi. 2008a. Understory plant responses to uneven-aged forestry alternatives in northern hardwood-conifer forests. *Canadian Journal of Forest Research* 38:1303–1318.
- Smith, K. M., W. S. Keeton, T. M. Donovan, and B. Mitchell. 2008b. Stand-level forest structure and avian habitat: scale dependencies in predicting occurrence in a heterogeneous forest. *Forest Science* 54:36–46.
- Steinkamp, Melanie. 2008. New England/Mid-Atlantic Coast Bird Conservation Region (BCR 30) Implementation Plan. Pages 40-42. Atlantic Coast Joint Venture.
- Thompson, E. H., and E. R. Sorenson. 2000. Wetland, woodland, wildland : a guide to the natural communities of Vermont. 1st edition. Vermont Dept. of Fish and Wildlife and the Nature Conservancy; Distributed by University Press of New England, Hanover, NH.
- Tingley, M. W., D. A. Orwig, R. Field, and G. Motzkin. 2002. Avian response to removal of a forest dominant: consequences of hemlock woolly adelgid infestations. *Journal of Biogeography* 29:1505–1516.
- University of Massachusetts-Amherst (UMass-Amherst). 2012. The Connecticut River Project. University of Massachusetts-Amherst, Department of Civil and Environmental Engineering. Accessed August 2016 at: http://ctriver.ecs.umass.edu/wiki/index.php/Main_Page
- U.S. Environmental Protection Agency. 2013, September 23. Waste site cleanup and reuse in New England: Ely Copper Mine.
- U.S. Fish and Wildlife Service. 1989b. Jessup's milkvetch (*Astragalus Robbinsii var. jesupii*) Recovery Plan. Hadley, Massachusetts.
- U.S. Fish and Wildlife Service. 1993. Dwarf wedge mussel (*Alasmidonta heterodon*) recovery plan. Page 52. Hadley, Massachusetts.
- U.S. Fish and Wildlife Service. 1996. The status of migratory aquatic species passage and barriers to passage in the Connecticut River watershed. Connecticut River Coordinator's Office, Sunderland, MA.

Appendix A Bibliography

- U.S. Fish and Wildlife Service. 2006, August. Northeastern bulrush (*Scripus ancistrochaetus*). <http://www.fws.gov/northeast/pdf/bulrush.pdf>.
- U.S. Fish and Wildlife Service. 2007. Indiana Bat (Myotis sodalis) Draft Recovery Plan: First Revision. 258 pages. Region 3, Fort Snelling, Minnesota
- U.S. Fish and Wildlife Service. 2008. Small Whorled Pogonia Five-year Review: Summary and Evaluation. 26 pages. Region 5, Hadley, Massachusetts.
- U.S. Fish and Wildlife Service. 2014. Northern long-eared bat interim conference and planning guidance. 67 pages. Region 5, Hadley, Massachusetts.
- Vermont Fish and Wildlife Department. 2005. Vermont state wildlife action plan. Accessed August 2016 at: http://www.vtfishandwildlife.com/UserFiles/Servers/Server_73079/File/About%20Us/Budget%20and%20Planning/VT_Wildlife_Action_Plan_Main_Document.pdf
- Vickery, P. D., M. L. Hunter, and S. M. Melvin. 1994. Effects of Habitat Area on the Distribution of Grassland Birds in Maine. *Conservation Biology* 8:1087–1097.
- Whitney, G. G. 1996. From Coastal Wilderness to Fruited Plain: A History of Environmental Change in Temperate North America from 1500 to the Present. Cambridge University Press.
- Wilcove, D. S. 1985. Nest Predation in Forest Tracts and the Decline of Migratory Songbirds. *Ecology* 66:1211–1214.
- Williams, M. 1992. Americans and their Forests: A Historical Geography. Cambridge University Press.
- Wynne, K. M., and J. A. Sherburne. 1984. Summer home range use by adult marten in northwestern Maine. *Canadian Journal of Zoology* 62:941–943.
- Zankel, M. 2004. A land conservation plan for the Ashuelot River watershed. Page 149. The Nature Conservancy, Monadnock Conservancy, Society for the Protection of New Hampshire Forests, and Southwest Region Planning Commission, Concord, New Hampshire.
- Zimmerman, G. S., and W. E. Glanz. 2000. Habitat Use by Bats in Eastern Maine. *The Journal of Wildlife Management* 64:1032–1040.